

CO-AX INDICATOR

Features:

- Restraining rod
- Counterpoint feeler
- The CO-AX indicator provides a simplified method for centering a workpiece or fixture on horizontal or vertical machines, external or internal diameters.
- Indicator dial remains stationary while the machine spindle rotates.
- Operates at any angle from horizontal to vertical without any change, and from internal to external by simply changing the feeler.
- No walking around the machine is necessary, no mirrors required, no contortions. Exact chucking not needed.
- All points and feelers are provided for free.
- Graduation: 0.01mm (JD21-0002), 0.0005" (JD21-0001, JD21-0003)



Item	Range of Per Rev.	Length of Straight Feeler	Length of Center Point Feeler	Length of Curved Feeler	Price
White Face JD21-0001	0-0.15"	2", 4", 6"	2"	2", 4", 6"	\$126.00/SET
Yellow Face JD21-0003	0-0.15"	2", 4", 6"	2"	2", 4", 6"	\$132.00/SET
JD21-0002	0-3mm	50, 101, 152mm	50mm	50, 101, 152mm	\$132.00/SET

ELECTRONIC MAGNETIC Z AXIS SETTER 2" HEIGHT

Features:

- Accuracy 0.0002"
- Adjustable height 2"
- Magnetic base
- 360 degree red lamp lights up when touched
- Introduce the tool to the unit until the light is on, then draw back until light is off
- Adjust the height if needed with preset two all-in screws on the side of the unit and turn the top grey part of the unit alongside the center threaded body.
- When presetting diameter, rotate too slowly for higher precision.
- Do not take caliper for presetting unit, only use gage block and preset gauge.

Item # 0805-4015
\$195.00/PC



Z AXIS ZERO SETTING 0-0.1"

Features:

- Graduation: 0.001"
- Accuracy and repeatability: 0.0004"
- Height holding: 2"
- Length: 2"
- Square: 2.05"
- Square base, inside indicator, magnetic

Item # 0801-0301
\$126.00/PC



SHORE HARDNESS TESTER

Shore A:

- Measuring range: 0-100 Shore A units
- Indenture: flat cone point 35°
- Measuring spring force: 0.55-8.065N
- Test pressure: 12.5N

Shore D:

- Measuring range: 0-100 Shore D units
- Indenture: cone point 30° angle
- Measuring spring force: 4.45-44.5 N
- Test pressure: 50 N

Item	Description	Price
AK07-8820	Shore A Hardness Tester	\$98.00/PC
AK90-0336	Shore D Hardness Tester	\$98.00/PC

AK07-8820



PRECISION MAGNETIC Z-AXIS SETTER

Features:

- Mechanical zero-setting instrument for CNC machine centers
- Fast and sure establishing of "0" reference point
- No averaging of several spindle approaches is required
- Positive alignment of zero position
- Spring loaded setting face

2124-2001



2124-2002



Item	Size	Price
2124-2001	0-0.125"x0.0005", magnetic 2" height	\$136.00/PC
2124-2002	0-0.1"x0.001", magnetic base (with switch), 4" height	\$178.00/PC

0.5" POCKET THICKNESS GAUGE

Features:

- Resolution: 0.001"
- Can be easily adjusted to zero by using the adjustment screw on the frame.
- Measuring faces are hardened, ground and lapped for accuracy.
- Stainless steel spindles.

Item	Range	Price
S906-C456	0-0.5"	\$66.00/PC



MICROMETER STAND

- 0-1" ultra-precision M-type outside micrometer, with micrometer stand
- EG00-0001 as Page 06


- Electronic digital outside micrometer 0-1"/0-25mm, with micrometer Stand
- MD71-0001 as Page 07



Item #C153-EG01
\$75.00/SET



Item #C153-MD01
\$112.00/SET




EG10-1430:

- A heavy micrometer stand
- Made of cast iron
- Can be adjusted to any position



Item#EG10-1430
\$35.00/PC



S907-C153:

- Folding design for portable use
- Clamp can be adjusted and locked in any position



Item #S907-C153
\$40.00/PC